## Message

From: Pallarino, Bob [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=963B7DB581E540699078E7D00921DA58-BPALLARI]

**Sent**: 1/12/2018 5:47:39 PM

To: Ilaga, Roy Dennis [roy.ilaga@doh.hawaii.gov]; roxanne.kwan@doh.hawaii.gov; Okino, Nicole

[nicole.okino@doh.hawaii.gov]; Salire, Tess [Salire.Tess@epa.gov]

**Subject**: RE: Conference Call on Hawaii UST inspections

Attachments: Hawaii UST Inspections PWS Appendix A 9 Jan 2018 working copy.docx; PWS Compliance Inspection Hawaii 12 Jan

2018.doc

Made some of the changes based on Roxanne and Roy's comments. Still need clarification on some others.

Bob Pallarino
U.S. EPA Region 9
Underground Storage Tank Program Office
Land Division
LND-4-3
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4128
pallarino.bob@epa.gov

From: Ilaga, Roy Dennis [mailto:roy.ilaga@doh.hawaii.gov]

Sent: Thursday, January 11, 2018 5:07 PM

To: Pallarino, Bob <Pallarino.Bob@epa.gov>; roxanne.kwan@doh.hawaii.gov; Okino, Nicole

<nicole.okino@doh.hawaii.gov>; Salire, Tess <Salire.Tess@epa.gov>

Subject: RE: Conference Call on Hawaii UST inspections

Importance: High

Hi Bob,

Please find our comments for tomorrow's meeting. Roxanne finally had the chance to review and provide comments on the documents. I believe I addressed all your questions but let me know if I missed something. You can also find Roxanne's comments and my responses to hers. Hopefully it doesn't confuse you guys.

Roy

From: Pallarino, Bob [mailto:Pallarino.Bob@epa.gov]

Sent: Thursday, January 11, 2018 4:23 AM

**To:** Kwan, Roxanne S < <a href="mailto:roxanne.kwan@doh.hawaii.gov">roxanne.kwan@doh.hawaii.gov</a>; Ilaga, Roy Dennis < <a href="mailto:roy.ilaga@doh.hawaii.gov">roy.ilaga@doh.hawaii.gov</a>; Okino, Nicole <a href="mailto:roxanne.kwan@doh.hawaii.gov">roxanne.kwan@doh.hawaii.gov</a>; Salire, Tess <Salire.Tess@epa.gov</a>

Subject: Conference Call on Hawaii UST inspections

8:00 am HST (10:00 am PST) is fine with me. We may need more than 30 minutes but Roy, Nicole, Tess and I can continue the call if necessary after you leave. I will send out an invitation with a call in number.

Bob Pallarino
U.S. EPA Region 9
Underground Storage Tank Program Office
Land Division
LND-4-3

75 Hawthorne Street San Francisco, CA 94105 (415) 947-4128 pallarino.bob@epa.gov

From: Kwan, Roxanne S [mailto:roxanne.kwan@doh.hawaii.gov]

Sent: Wednesday, January 10, 2018 4:50 PM

To: Pallarino, Bob <Pallarino, Bob@epa.gov>; Ilaga, Roy Dennis <roy.ilaga@doh.hawaii.gov>; Okino, Nicole

<nicole.okino@doh.hawaii.gov>

Subject: RE: PWS and attachment for UST Inspections

Bob

Can we have the call on 1/12 (Friday0 at 8am HST? I need to leave around 8:30 to visit the Halawa Quarry

## Roxanne

From: Pallarino, Bob [mailto:Pallarino.Bob@epa.gov]

Sent: Tuesday, January 09, 2018 7:40 AM

To: Ilaga, Roy Dennis <<u>roy.ilaga@doh.hawaii.gov</u>>; Kwan, Roxanne S <<u>roxanne.kwan@doh.hawaii.gov</u>>; Okino, Nicole

<nicole.okino@doh.hawaii.gov>

Cc: daniel mcmindes < Daniel.C.McMindes@usace.army.mil >

Subject: RE: PWS and attachment for UST Inspections

Roy,

Thanks. I am available until 1:00 pm HST on Friday, so any time before then works for me. I will set up a conference line once we settle on a time.

Bob

Bob Pallarino
U.S. EPA Region 9
Underground Storage Tank Program Office
Land Division
LND-4-3
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4128
pallarino.bob@epa.gov

From: Ilaga, Roy Dennis [mailto:roy.ilaga@doh.hawaii.gov]

Sent: Tuesday, January 09, 2018 9:37 AM

To: Pallarino, Bob <Pallarino, Bob@epa.gov>; roxanne.kwan@doh.hawaii.gov; Okino, Nicole

<nicole.okino@doh.hawaii.gov>

**Cc:** daniel mcmindes < <u>Daniel.C.McMindes@usace.army.mil</u>> **Subject:** RE: PWS and attachment for UST Inspections

Importance: High

Hi Bob,

I am not sure if Roxanne will be in today (although she mentioned she might drop by) but she plans to come back tomorrow, Wednesday, so let's shoot for January 12 (Friday). We have 2 informational meetings scheduled for next week RE: proposed regulations (17<sup>th</sup> and 19<sup>th</sup>) so next week will be tight. Monday is a holiday, as well. I'll remind Roxanne as soon as she comes in to confirm the time. Thanks

Roy

From: Pallarino, Bob [mailto:Pallarino.Bob@epa.gov]

Sent: Tuesday, January 09, 2018 5:36 AM

**To:** Kwan, Roxanne S <<u>roxanne.kwan@doh.hawaii.gov</u>>; Ilaga, Roy Dennis <<u>roy.ilaga@doh.hawaii.gov</u>>; Okino, Nicole <nicole.okino@doh.hawaii.gov>

Cc: daniel mcmindes < Daniel.C.McMindes@usace.army.mil>

Subject: PWS and attachment for UST Inspections

Roxanne, Roy and Nicole,

Sorry for the delay in responding, I was tied up with contracting issues for Red Hill and then the holidays.

Thank you for the thorough review of the PWS and attachment. I accepted nearly all of Roy's changes, but there are still a couple of outstanding issues in each document. I would like to have a short conference call with the DOH folks to go over these and hopefully get a final document that we can pass on to Dan at the Army Corps.

I am available today, Friday Jan 12, Wednesday Jan 17, Thursday Jan 18. Please let me know ASAP when we can have this call.

Bob

Bob Pallarino
U.S. EPA Region 9
Underground Storage Tank Program Office
Land Division
LND-4-3
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4128
pallarino.bob@epa.gov